DESIGN GUIDELINES

These guidelines are made to assist you when you design/produce a DTU publication.

All typography specifications are described on the following pages and the grid is explained.

There are templates available for the most commen publications, all with the DTU colours pre-defined.

COLOURS

The corporate colour of DTU is red.
All secondary colours are free to use - yet
no specific institute, center or department
has monopoly on a specific colour.

All colours consist of a bright 100% colour and four tints.

The secondary colour you choose should stand alone, yet there are colour combinations that can be recommended.

For further details on the colours, please see www.designguide.dtu.dk

Primary colours (for print purposes)

RED				
CMYK 0 / 91 / 72 / 23 PANTONE 187 C and 187 U	50%	60%	70%	80%
BLACK				
CMYK 20 / 20 / 10 / 100 PANTONE Neutral Black C and Black U	50%	60%	70%	80%

Secondary colours (for print purposes)

BLUE				
CMYK 100 / 64 / 0 / 0 PANTONE 2728 C and 2728 U	50%	60%	70%	80
NAVY BLUE CMYK 100 / 90 / 0 / 60 PANTONE 655 C and 282 U	50%	60%	70%	80
PURPLE				
CMYK 67 / 96 / 0 / 0 PANTONE 2587 C and 2587 U	50%	60%	70%	80
RED				
CMYK 0 / 86 / 65 / 0 PANTONE 1785 C and U	50%	60%	70%	80
ORANGE				
CMYK 0 / 65 / 86 / 0 PANTONE 1505 C and U	50%	60%	70%	80
PINK				
BRIGHT GREEN				
CMYK 69 / 0 / 66 / 0 PANTONE 3385 C and 353 U	50%	60%	70%	80
GREEN				
CMYK 89 / 5 / 100 / 17 PANTONE 355 C and U	50%	60%	70%	80
GREY				
CMYK 0 / 0 / 0 / 20 PANTONE Cool Gray 1 C and U	50%	60%	70%	80

TYPOGRAPHY

Our corporate font is Neo Sans Pro. It is used in all communication and marketing material produced in professional design programmes, i.e. Adobe Creative Cloud.

Recommended use:

We mainly use Neo Sans Pro weights Bold,
 Medium, Regular and Light.
 Less used are Ultra and Black. Italic is used for either captions or highlighted texts.
 Also see examples presented in slides below.

Our secondary typeface, Arial, is used in Microsoft Office (Word and Powerpoint).

TYPOGRAPHIC STYLES

In the templates, you will find that SOME typographic styles are pre-defined in the 'paragraph styles' menu. Kindly use these. Those that are not already defined you can define more freely - according to your text length, the message you want to come across with and of course your layout.

Please see these pages as inspiration.

If you should have any questions, feel free to contact us for further details / information.

Webiste:

www.designguide.dtu.dk

E-mail:

design@dtu.dk

The primary font

Abc Neo Sans Pro, Ultra

AbC
Neo Sans Pro, Ultra Italic

AbC Neo Sans Pro, Black

AbC
Neo Sans Pro, Black Italic

AbC Neo Sans Pro, Bold

AbCNeo Sans Pro, Bold Italic

AbC
Neo Sans Pro, Medium

AbC

AbC
Neo Sans Pro, Regular

AbC Neo Sans Pro, Italic

AbC Neo Sans Pro, Light

Neo Sans Pro, Light Ultra

The secondary font

AbC Arial Black

AbC Arial, Bold

AbC Arial, Bold Italic

AbC Arial, Regular

AbC Arial, Italic

10mm 10mm DTU Department: Font: Neo Sans Pro Medium Size/leading: 9/11,75 pt. Upper & lower case 10mm ranges right with grid) DTU Institutnavr Institutnavr Department: 18mm Font: Neo Sans Pro Regular Size/leading: 9/11,75 pt. Upper & lower case ranges right with grid) Report text: Font: Neo Sans Pro Regular DTU International Energy Report 2018 Size/leading: 24/25pt. Upper & lower case Aligned left 163,5mm Report headline: Font: Neo Sans Pro Medium Size/leading: 95/81pt. Upper & lower case Aligned left 257mm

Edited by **Birte Holst Jørgensen** and **Katrine Krogh Andersen**,

Technical University of Denmark **Elizabeth J. Wilson**, Dartmouth College Report 2018

Aligned left (longest line of the two,

Aligned left (longest line of the two,

Credits:

Font: Neo Sans Pro Bold/Regular Size/leading: 12/15pt. Upper & lower case Aligned left

10mm

DTU Department:
Font: Neo Sans Pro Medium
Size/leading: 9/11,75 pt.
Upper & lower case
Aligned left (longest line of the two,
ranges right with grid)

10mm

DTU Institutnavr

Department:
Font: Neo Sans Pro Regular
Size/leading: 9/11,75pt.
Upper & lower case
Aligned left (longest line of the two, ranges right with grid)

Font: Neo Sans Pro Regular

Size/leading: 24/25pt. Upper & lower case Aligned left

Report text:

Report headline: Font: Neo Sans Pro Medium Size/leading: 95/81pt. Upper & lower case Aligned left

Credits:
Font: Neo Sans Pro Bold/Regular

Size/leading: 12/15pt.

Upper & lower case Aligned left

Institutnavr DTU International Energy Report 2018 Edited by **Birte Holst Jørgensen** and **Katrine Krogh Andersen**,

Technical University of Denmark **Elizabeth J. Wilson**, Dartmouth College Report 20

15mm

257mm

163,5mm

10mm

18mm





10mm 10mm DTU Department: Font: Neo Sans Pro Medium Size/leading: 9/11,75 pt. 10mm Aligned left (longest line of the two, ranges right with grid) DTU Institutnavr Institutnavr Department: 18mm Font: Neo Sans Pro Regular Size/leading: 9/11,75pt. Upper & lower case Aligned left (longest line of the two, ranges right with grid) Report text: Font: Neo Sans Pro Regular Size/leading: 24/25pt. **DTU** International Upper & lower case Aligned left **Energy Report 2018** 163.5mm Sustainable Report headline: Font: Neo Sans Pro Medium Size/leading: 95/81pt Upper & lower case Aligned left energy researc Edited by Birte Holst Jørgensen and Katrine Krogh Andersen,

Technical University of Denmark Elizabeth J. Wilson, Dartmouth College Report 2018

Credits:

Upper & lower case Aligned left

Font: Neo Sans Pro Bold/Regular Size/leading: 12/15pt.

10mm

10mm

10mm

18mm

DIO

Body text bold: Font: Neo Sans Pro Bold Size/leading: 8,5 / 14 pt. Upper & lower case Aligned left

Body text:
Font: Neo Sans Pro Regular
Size/leading: 8,5 / 14 pt.
Upper & lower case
Aligned left

15mm

DTU

Anker Engelunds Vej 1 Bygning 101A 2800 Kgs. Lyngby

www.dtu.dk